

Work Order ID 68887

Monday, April 25, 2011 10:28:04 AM



Page 1

Item ID:	D4038-042	Accept		Setup	Start	
Revision ID:					Stop	
Item Name:	Angle Assembly; Fwd, RH					
Start Date:	4/25/2011	Start Qty:	1.00		Cust Item ID:	
Required Date:	4/26/2011	Req'd Qty:	1.00		Customer:	
Reference:	REWORK					

Approvals:	Process Plan:	<u>mf</u>	Date:	<u>11-04-25</u>	Tooling:		Date:		Run	Start	
	QC:		Date:		SPC (Y/N):		Date:			Stop	

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D4038	D U/R

155		0.00							
Mill Conv	Memo	0.00							
Conventional Milling Machine	PULL FROM STOCK D4038-042 B 67550								
	REWORK PER NEW DRAWING D4038-042								

160	QC5- Inspect part completeness to step on W/O	0.00							
QC	Memo	0.00							
Quality Control									

170	Identify as per dwg & Stock Location: <u>138</u>	0.00							
Packaging	Memo	0.00							
Packaging	ID AND STOCK UNDER NEW BATCH NUMBER								

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			






NOTE: Date & initial all entries



Work Order ID 68887



Monday, April 25, 2011 10:28:04 AM



Page 2

Item ID: D4038-042 Accept  Setup Start 
Revision ID: Stop 
Item Name: Angle Assembly, Fwd, RH
Start Date: 4/25/2011 Start Qty: 1.00  Cust Item ID:
Required Date: 4/26/2011 Req'd Qty: 1.00  Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start 
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop 

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
180  QC Quality Control	QC21- Final Inspection - Work Order Release Memo	0.00 0.00						11/5/309	

W 1605.26

Location/Lot Activity

Monday, April 25, 2011 10:33:16 AM

Page 1 of 1

Criteria : All Items All Locations Lot: 67550 All Transaction Types All Dates Report on Locations & Lots

Transaction Type	Item ID/ Item Name	Warehouse Location ID	Reason	Employee ID Location Code	Loc Trans Date	LocQtyPrior/ Location Qty	Lot Number	LotQtyPrior/ Lot Qty	Shelf Life Date Lot Code	Extended Cost
Issue	D4038-042 / Angle Assembly, Fwd, RH	Main Warehouse	67514	DESI02		3.0000		3.0000		
		ST115			4/6/2011	-1.0000	67550	-1.0000		(\$71.84)
		Main Warehouse	67515	DESI02		2.0000		2.0000		
		ST115			4/6/2011	-1.0000	67550	-1.0000		(\$71.84)
								-2.0000		(\$143.67)
Rework	D4038-042 / Angle Assembly, Fwd, RH	Main Warehouse	68887	FAUT01		1.0000		1.0000		
		ST115			4/25/2011	-1.0000	67550	-1.0000		(\$71.84)
								-1.0000		(\$71.84)
WIP Receipt	D4038-042 / Angle Assembly, Fwd, RH	Main Warehouse	67550	FAUT01		0.0000		0.0000		
		ST115			4/5/2011	3.0000	67550	3.0000		\$215.51
								3.0000		\$215.51

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries


ITEM NO.	QTY. -041	QTY. -042	PART NUMBER	DESCRIPTION
1	X		D4038-041	ANGLE ASSEMBLY, FWD, LH
2		X	D4038-042	ANGLE ASSEMBLY, FWD, RH
3	1		D4038-1	ANGLE, FWD, LH
4		1	D4038-2	ANGLE, FWD, RH
5	1		D4038-5	BLOCK
6		1	D4038-6	BLOCK
7	1		D4038-9	BLOCK
8		1	D4038-10	BLOCK
9	2	2	AN3-14A	BOLT
10	2	2	MS21042L3	NUT
11	4	4	NAS1149D0363J	WASHER (AN960JD10)



D4038-041 ANGLE ASSEMBLY, FWD, LH

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT "WHITE" (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: -041 - 1.75 lbs
-042 - 1.74 lbs



D4038-042 ANGLE ASSEMBLY, FWD, RH

RELEASED
2011-04-31
JMB

E	1.19 X 1.00 CHAMFER WAS R1.00. REF: NCR11-543.	MB	11.04.11
D	REVISED D4038-7/8/11-12 AS FOLLOWS: 1.67 WAS 1.73 (C7-9); 2.14 WAS 2.00 (C4-9); 2.13 WAS 2.00 (C7-10); 1.89 WAS 1.73 (C4-10); 1.52 WAS 1.38 (C7-13); 1.78 WAS 1.65 (C4-13); 1.77 WAS 1.65 (C7-14); 1.49 WAS 1.38 (C4-14). REASON: NCR11-456.	MB	11.03.03
C	REVISED D4038-3/4 AS FOLLOWS: 0.588 WAS 0.714 (B2-5, B4-6); D4038-043/-044 ARE AFFECTED. REASON: NCR11-380.	MB	11.01.20
B	REVISED DIMENSIONS ALL SHEETS, ADD Ø0.316 HOLES IN -1/2/-3/4 PARTS, ADD RADIUS TO -1/2/-3/4 PARTS	HS	10.01.05
A	NEW ISSUE	HS	08.12.14
REV.	DESCRIPTION	BY	DATE
DESIGN			
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	11.04.11		
DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. D4038 REV. E SHEET 1 OF 14 TITLE BRACKET SCALE NTS <small>COPYRIGHT © 2005 BY DART AEROSPACE LTD THIS DOCUMENT IS REVISED AND CONFIDENTIAL. IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>			



Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____
 Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



D4038-1 ANGLE, FWD, LH

NOTES:

- 1) MATERIAL: 6061-T6/T6510/T6511 ALUMINUM ANGLE, 4.000 X 4.000 X 0.250
PER AMS-QQ-A-200/8
REF DART SPEC M6061T6A4.000XW250
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ENGRAVE P/N IN THIS AREA AS SHOWN (NEAR SIDE ONLY) TO MAX
DEPTH OF 0.010 IN 0.18 HIGH LETTERS WITH MIN RADIUS TOOL OF 0.015
- 7) WEIGHT: 1.03 lbs
- 8) SPOT FACE MAX DEPTH OF 0.010 PRIOR TO MARKING

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. E
MFG. APPR.		D4038	SHEET 3 OF 14
APPROVED		TITLE	SCALE
DE APPR.		BRACKET	NTS
DATE	11.04.11	COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

RELEASED
2011-04-31

#68887




W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



#68887

RELEASED
2011-04-21

D4038-2 ANGLE, FWD, RH

NOTES:

- 1) MATERIAL: 6061-T6/T6510/T6511 ALUMINUM ANGLE, 4.000 X 4.000 X 0.250
PER AMS-QQ-A-200/8
REF DART SPEC M6061T6A4.000XW250
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ENGRAVE P/N IN THIS AREA AS SHOWN (FAR SIDE ONLY) TO MAX
DEPTH OF 0.010 IN 0.18 HIGH LETTERS WITH MIN RADIUS TOOL OF 0.015
- 7) WEIGHT: 1.03 lbs
- 8) SPOT FACE MAX DEPTH OF 0.010 PRIOR TO MARKING

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. E
MFG. APPR.		D4038	SHEET 4 OF 14
APPROVED		TITLE	SCALE
DE APPR.		BRACKET	NTS
DATE	11.04.11	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS RECOGNITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR DISSEMINATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

